

# Specification miniTOC



Customer Information	
Customer	
Contact Person	
Street	
Postal code /city	
Country	
Phone	
E-Mail	
<i>to be completed by membraPure GmbH</i>	
<b>Project number</b>	
<b>Customer number</b>	

Sample Parameters	
<b>Range of Conductivity</b>	μS/cm
<b>Range of TOC</b>	ppb
<b>inlet pressure</b>	bar
<b>inlet temperature</b>	°C
<b>Monitoring of ring circuit</b>	<input type="checkbox"/> no <input type="checkbox"/> yes

# Specification miniTOC



Device Configuration		
<b>Type</b>	<input type="checkbox"/> Basic (= 1 Input)	<input type="checkbox"/> Professional / Pro ( $\leq 3$ Inputs)
<b>Protection Class IP 54</b>	<input type="checkbox"/> no	<input type="checkbox"/> yes
<b>Software CFR 21 part 11 conform</b>	<input type="checkbox"/> no	<input type="checkbox"/> yes
<b>Range of Conductivity</b>	<input type="checkbox"/> $< 2 \mu\text{S/cm}$	<input type="checkbox"/> $< 10 \mu\text{S/cm}$ <input type="checkbox"/> $< 30 \mu\text{S/cm}$
<b>Inlet pressure sensor</b>	<input type="checkbox"/> no	<input type="checkbox"/> yes
<b>Input trigger</b>	<input type="checkbox"/> no	<input type="checkbox"/> yes
<b>Interval mode</b> (Pro only)	<input type="checkbox"/> no	<input type="checkbox"/> yes
<b>Offline mode</b>	<input type="checkbox"/> no	<input type="checkbox"/> yes
<b>Autosampler</b> (Pro only)	<input type="checkbox"/> no	<input type="checkbox"/> yes
<b>Analogue Output</b>	<input type="checkbox"/> No	<input type="checkbox"/> Yes
if yes		
Analogue output - 2 channels for conductivity, TOC and relay	<input type="checkbox"/> No	<input type="checkbox"/> Yes
Analogue output - 4 channels for conductivity, TOC (3 x) and relay (Pro only)	<input type="checkbox"/> No	<input type="checkbox"/> Yes

# Specification miniTOC



Accessories	
<input type="checkbox"/>	Pressure reducer
<input type="checkbox"/>	Heat exchanger
<input type="checkbox"/>	Documents for IQ and OQ
<input type="checkbox"/>	Documents for PQ
<input type="checkbox"/>	Bottle and connector set for system suitability test (SST)
<input type="checkbox"/>	Stock solution for calibration
<input type="checkbox"/>	Stock solution for system suitability test (SST)
<input type="checkbox"/>	USP Traceable solutions for qualification (calibration and SST)

The device complied above corresponds to the concept of the customer and the possibilities of the company membraPure GmbH.

Date:	Signature Customer:	Signature membraPure GmbH: